

[Help](#)

```
#include "bs1d_std.h"

static DoubleArray ttime=
{
    0,NULL
};
static DoubleArray stockmin=
{
    0,NULL
};
static DoubleArray stockmax=
{
    0,NULL
};
static DoubleArray stockmean=
{
    0,NULL
};
static DoubleArray plmin=
{
    0,NULL
};
static DoubleArray plmax=
{
    0,NULL
};
static DoubleArray plmean=
{
    0,NULL
};
static DoubleArray hedgetimemin=
{
    0,NULL
};
static DoubleArray hedgespotmin=
{
    0,NULL
};
static DoubleArray hedgetimemax=
{
```

```

        0,NULL
    };
static DoubleArray hedgespotmax=
{
    0,NULL
};
static DoubleArray hedgetimemean=
{
    0,NULL
};
static DoubleArray hedgespotmean=
{
    0,NULL
};
static DoubleArray deltamin=
{
    0,NULL
};
static DoubleArray deltamax=
{
    0,NULL
};
static DoubleArray deltamean=
{
    0,NULL
};

int CALC(DynamicHedgingSimulatorPatry1)(void *
    Opt,void *Mod,PricingMethod *Met,DynamicTest *Test)
{

    TYPEOPT* ptOpt=(TYPEOPT*)Opt;
    TYPEMOD* ptMod=(TYPEMOD*)Mod;
    int  type_generator,error;
    long path_number,step_number,hedge_number,i,
    j;
    double step_hedge,initial_stock,initial_time,
    stock,selling_price,delta,previous_delta;
    double cash_account,stock_account,cash_rate,

```

```

stock_rate;
double pl_sample,mean_pl,var_pl,min_pl,max_pl
;
double exp_trendxh,sigmaxsqrth;
double r,divid;
int hedgenow;

/* Variables needed for Graphic outputs */
double *stock_array, *pl_array, *hedge_time,
*hedge_spot, current_mean_pl, median_pl;
double *delta_array;
int k,indicehedge;
long size, size2;
double current_date;

/***** Initialization of the test's para
meters *****/
initial_stock=ptMod->S0.Val.V_PDOUBLE;
initial_time=ptMod->T.Val.V_DATE;

type_generator=Test->Par[0].Val.V_INT;
path_number=Test->Par[1].Val.V_LONG;
step_number=Test->Par[2].Val.V_LONG;
current_date=ptMod->T.Val.V_DATE;
hedge_number=Test->Par[3].Val.V_LONG;
step_hedge=(ptOpt->Maturity.Val.V_DATE-ptMod-
>T.Val.V_DATE)/(double)step_number;

Met->Par[0].Val.V_INT2=step_number;
Met->Par[1].Val.V_INT=hedge_number;

r=log(1.+ptMod->R.Val.V_DOUBLE/100.);
divid=log(1.+ptMod->Divid.Val.V_DOUBLE/100.);
cash_rate=exp(r*step_hedge);
stock_rate=exp(divid*step_hedge)-1.;

sigmaxsqrth=ptMod->Sigma.Val.V_PDOUBLE*sqrt(
step_hedge);
exp_trendxh=exp(ptMod->Mu.Val.V_DOUBLE*step_
hedge-0.5*SQR(sigmaxsqrth));

```

```

    mean_pl=0.0;
    var_pl=0.0;
    min_pl=BIG_DOUBLE;
    max_pl=-BIG_DOUBLE;

    InitGenerator (type_generator,1,path_number);

    /* Graphic outputs initializations and dynamical memory allocutions */
    current_mean_pl=0.0;
    size=step_number+1;
    size2=hedge_number+1;

    if ((stock_array=malloc(size*sizeof(double)))
        ==NULL)
        return MEMORY_ALLOCATION_FAILURE;
    if ((pl_array=malloc(size*sizeof(double)))==
        NULL)
        return MEMORY_ALLOCATION_FAILURE;
    if ((hedge_time=malloc(size2*sizeof(double)))
        ==NULL)
        return MEMORY_ALLOCATION_FAILURE;
    if ((hedge_spot=malloc(size2*sizeof(double)))
        ==NULL)
        return MEMORY_ALLOCATION_FAILURE;
    if ((delta_array=malloc(size*sizeof(double)))=
        =NULL)
        return MEMORY_ALLOCATION_FAILURE;

    for (k=5;k<=14;k++)
    {
        if ((Test->Res[k].Val.V_DOUBLEARRAY->array=
            malloc(size*sizeof(double)))==NULL)
            return MEMORY_ALLOCATION_FAILURE;
        else
            Test->Res[k].Val.V_DOUBLEARRAY->size=siz
e;
    }
    for (k=15;k<=20;k++)
    {

```

```

    if ((Test->Res[k].Val.V_DOUBLEARRAY->array=
        malloc(size2*sizeof(double)))==NULL)
        return MEMORY_ALLOCATION_FAILURE;
    else
        Test->Res[k].Val.V_DOUBLEARRAY->size=size2;
}

for (k=0;k<=step_number;k++) /* Time */
    Test->Res[5].Val.V_DOUBLEARRAY->array[k]=
        current_date+k*step_hedge;

/***** Trajectories of the stock *****/
for (i=0;i<path_number;i++)
{
    /* computing selling-price and delta */
    ptMod->T.Val.V_DATE=initial_time;
    ptMod->S0.Val.V_PDOUBLE=initial_stock;
    Met->Par[2].Val.V_DOUBLE=0.; /*current
    tdelta*/
    /*delta=0.;*/
    Met->Par[0].Val.V_INT2=step_number;
    hedge_number=Test->Par[3].Val.V_LONG;
    Met->Par[1].Val.V_INT=hedge_number;

    if (error=(Met->Compute)(Opt,Mod,Met))
    {
        ptMod->T.Val.V_DATE=initial_time;
        ptMod->S0.Val.V_PDOUBLE=initial_stock
    ;
        return error;
    };
    selling_price=Met->Res[2].Val.V_DOUBLE;
    delta=Met->Res[0].Val.V_DOUBLE;
    Met->Par[2].Val.V_DOUBLE=delta;
    delta_array[0]=delta;
    Met->Par[0].Val.V_INT2--; /*stepnumber--*/

    hedgenow=1;

```

```

/* computing cash_account and stock_account
*/
    cash_account=selling_price-delta*initial_
stock;
    stock_account=delta*initial_stock;

    stock=initial_stock;
    stock_array[0]=initial_stock;
    pl_array[0]=0;
    hedge_time[0]=0.;
    hedge_spot[0]=initial_stock;
    indicehedge=1;

/***** Dynamic Hedge *****/
for (j=1;(j<step_number);j++)
    {
        previous_delta=delta;

        /* Capitalization of cash_account and y
ielding dividends */
        cash_account*=cash_rate;
        cash_account+=stock_rate*stock_accou
nt;

        /* computing the new stock's value */
        stock*=exp_trendxh*exp(sigmamaxsqrth*Gauss
_AbramowitzStegun(type_generator));

        /* computing the new selling-price and
the new delta */
        ptMod->T.Val.V_DATE=ptMod->T.Val.V_DA
TE+step_hedge;
        ptMod->S0.Val.V_PDDOUBLE=stock;
        if (error=(Met->Compute)(Opt,Mod,Met)
)
            {
                ptMod->T.Val.V_DATE=initial_time;
                ptMod->S0.Val.V_PDDOUBLE=initial_
stock;

                return error;
            };
    }

```

```

    hedgenow=Met->Res[3].Val.V_BOOL;
    if (hedgenow==0)
    {
        delta=Met->Res[0].Val.V_DOUBLE;
        Met->Par[2].Val.V_DOUBLE=delta;
/*currentdelta*/
        hedge_number--;
        Met->Par[1].Val.V_INT=hedge_number;
        hedge_time[indicehedge]=ptMod->T.Val.
V_DATE;
        hedge_spot[indicehedge]=stock;
        indicehedge++;
    }

    delta_array[j]=delta;
    Met->Par[0].Val.V_INT2--; /*stepnumber--
*/

    /* computing new cash_account and new
stock_account */
        cash_account+=(delta-previous_delta)*
stock;
        stock_account=delta*stock;

        stock_array[j]=stock;
        pl_array[j]=cash_account-Met->Res[2].
Val.V_DOUBLE+delta*stock;

    } /*j*/

/***** Last hedge *****/
/* Capitalization of cash_account and yield
ing dividends */
    cash_account*=cash_rate;
    cash_account+=stock_rate*stock_account;

/* computing the new stock's value */
    stock*=exp_trendxh*exp(sigmamaxsrth*Gauss_
AbramowitzStegun(type_generator));

```

```

delta_array[step_number]=delta;

/* Capitalization of cash_account and computing the P&L using the PayOff*/
cash_account=cash_account-((ptOpt->PayOff.Val.V_NUMFUNC_1)->Compute)((ptOpt->PayOff.Val.V_NUMFUNC_1)->Par,stock)+delta*stock;
pl_sample=cash_account;

stock_array[step_number]=stock;
pl_array[step_number]=pl_sample;

mean_pl=mean_pl+pl_sample;
var_pl=var_pl+SQR(pl_sample);
min_pl=MIN(pl_sample,min_pl);
max_pl=MAX(pl_sample,max_pl);

/* Selection of trajectories (Spot and P&L) for graphic outputs */
if (i==0)
{
    for (k=0; k<=step_number; k++)
    {
        Test->Res[6].Val.V_DOUBLEARRAY->array[k]=stock_array[k];
        Test->Res[7].Val.V_DOUBLEARRAY->array[k]=stock_array[k];
        Test->Res[8].Val.V_DOUBLEARRAY->array[k]=stock_array[k];
        Test->Res[9].Val.V_DOUBLEARRAY->array[k]=pl_array[k];
        Test->Res[10].Val.V_DOUBLEARRAY->array[k]=pl_array[k];
        Test->Res[11].Val.V_DOUBLEARRAY->array[k]=pl_array[k];
        Test->Res[12].Val.V_DOUBLEARRAY->array[k]=delta_array[k];
        Test->Res[13].Val.V_DOUBLEARRAY->array[k]=delta_array[k];
        Test->Res[14].Val.V_DOUBLEARRAY->array[k]=delta_array[k];
    }
}

```



```

    }
    for (k=0; k<size2; k++)
    {
        Test->Res[15].Val.V_DOUBLEARRAY->
array[k]=hedge_time[k];
        Test->Res[16].Val.V_DOUBLEARRAY->
array[k]=hedge_spot[k];
        Test->Res[17].Val.V_DOUBLEARRAY->
array[k]=hedge_time[k];
        Test->Res[18].Val.V_DOUBLEARRAY->
array[k]=hedge_spot[k];
        Test->Res[19].Val.V_DOUBLEARRAY->
array[k]=hedge_time[k];
        Test->Res[20].Val.V_DOUBLEARRAY->
array[k]=hedge_spot[k];
    }
    median_pl=pl_sample;
}
else
{
    current_mean_pl=mean_pl/i;
    if (pl_sample==min_pl)
    {
        for (k=0; k<=step_number; k++)
        {
            Test->Res[6].Val.V_DOUBLEARR
AY->array[k]=stock_array[k];
            Test->Res[9].Val.V_DOUBLEARR
AY->array[k]=pl_array[k];
            Test->Res[12].Val.V_DOUBLEARRAY->
array[k]=delta_array[k];
        }
        for (k=0; k<size2; k++)
        {
            Test->Res[15].Val.V_DOUBLEARRAY->
array[k]=hedge_time[k];
            Test->Res[16].Val.V_DOUBLEARRAY->
array[k]=hedge_spot[k];
        }
    }
    else if (pl_sample==max_pl)

```

```

        {
            for (k=0; k<=step_number; k++)
            {
                Test->Res[7].Val.V_DOUBLEARR
AY->array[k]=stock_array[k];
                Test->Res[10].Val.V_DOUBLEARR
AY->array[k]=pl_array[k];
                Test->Res[13].Val.V_DOUBLEARRAY->
array[k]=delta_array[k];
            }
            for (k=0; k<size2; k++)
            {
                Test->Res[17].Val.V_DOUBLEARRAY->
array[k]=hedge_time[k];
                Test->Res[18].Val.V_DOUBLEARRAY->
array[k]=hedge_spot[k];
            }
        }
        else if (SQR(pl_sample-current_mean_
pl) < SQR(median_pl-current_mean_pl))
        {
            median_pl=pl_sample;
            for (k=0; k<=step_number; k++)
            {
                Test->Res[8].Val.V_DOUBLEARR
AY->array[k]=stock_array[k];
                Test->Res[11].Val.V_DOUBLEARR
AY->array[k]=pl_array[k];
                Test->Res[14].Val.V_DOUBLEARRAY->
array[k]=delta_array[k];
            }
            for (k=0; k<size2; k++)
            {
                Test->Res[19].Val.V_DOUBLEARRAY->
array[k]=hedge_time[k];
                Test->Res[20].Val.V_DOUBLEARRAY->
array[k]=hedge_spot[k];
            }
        }
    }
} /*i*/

```

```

    free(stock_array);
    free(pl_array);
    free(hedge_time);
    free(hedge_spot);
    free(delta_array);

    mean_pl=mean_pl/(double)path_number;
    var_pl=var_pl/(double)path_number-SQR(mean_pl
    );

    Test->Res[0].Val.V_DOUBLE=mean_pl;
    Test->Res[1].Val.V_DOUBLE=var_pl;
    Test->Res[2].Val.V_DOUBLE=min_pl;
    Test->Res[3].Val.V_DOUBLE=max_pl;
    Test->Res[4].Val.V_DOUBLE=median_pl;

    ptMod->T.Val.V_DATE=initial_time;
    ptMod->S0.Val.V_PDOUBLE=initial_stock;

    return OK;
}

static int TEST(Init)(DynamicTest *Test,Option *
    Opt)
{
    static int first=1;
    TYPEOPT* pt=(TYPEOPT*)(Opt->TypeOpt);

    if (first)
    {
        Test->Par[0].Val.V_INT=0;          /*
        Random Generator */
        Test->Par[1].Val.V_LONG=1;         /* PathNumb
        er */
        Test->Par[2].Val.V_LONG=100;       /* StepNumb
        er */
        Test->Par[3].Val.V_LONG=10;        /*hedgenu
        mber*/
        Test->Par[4].Vtype=END;
    }
}

```

```

Test->Res[5].Val.V_DOUBLEARRAY=&ttime;
Test->Res[6].Val.V_DOUBLEARRAY=&stockmin;
Test->Res[7].Val.V_DOUBLEARRAY=&stockmax;
Test->Res[8].Val.V_DOUBLEARRAY=&stockmean;
Test->Res[9].Val.V_DOUBLEARRAY=&plmin;
Test->Res[10].Val.V_DOUBLEARRAY=&plmax;
Test->Res[11].Val.V_DOUBLEARRAY=&plmean;
Test->Res[12].Val.V_DOUBLEARRAY=&deltamin;
Test->Res[13].Val.V_DOUBLEARRAY=&deltamax;
Test->Res[14].Val.V_DOUBLEARRAY=&deltamean;
Test->Res[15].Val.V_DOUBLEARRAY=&hedgetimemin;
Test->Res[16].Val.V_DOUBLEARRAY=&hedgespotmin;
Test->Res[17].Val.V_DOUBLEARRAY=&hedgetimemax;
Test->Res[18].Val.V_DOUBLEARRAY=&hedgespotmax;
Test->Res[19].Val.V_DOUBLEARRAY=&hedgetimemean;
Test->Res[20].Val.V_DOUBLEARRAY=&hedgespotmean;

Test->Res[21].Vtype=END;

first=0;
}

return OK;
}
int CHK_TEST(testpatry1)(void *Opt, void *Mod, PricingMethod *Met)
{
    if ( strcmp( Met->Name,"TR_PatryMartini1")=0)
        return OK;
    else
        return WRONG;
}

```

```

DynamicTest MOD_OPT(testpatry1)=
{
  "bsld_std_testpatry1",

  {{"RandomGenerator",INT,100,ALLOW},
   {"PathNumber",LONG,100,ALLOW},
   {"StepNumber",LONG,100,ALLOW},
   {"HedgeNumber",LONG,100,ALLOW},
   {" ",END,0,FORBID}},

  CALC(DynamicHedgingSimulatorPatry1),

  {{"Mean_P&l",DOUBLE,100,FORBID},
   {"Var_P&l",DOUBLE,100,FORBID},
   {"Min_P&l",DOUBLE,100,FORBID},
   {"Max_P&l",DOUBLE,100,FORBID},
   {"Median_P&l",DOUBLE,100,FORBID},

   {"Time",DOUBLEARRAY,100,FORBID},
   {"Stockmin",DOUBLEARRAY,0,FORBID},
   {"Stockmax",DOUBLEARRAY,0,FORBID},
   {"Stockmean",DOUBLEARRAY,0,FORBID},
   {"PLmin",DOUBLEARRAY,0,FORBID},
   {"PLmax",DOUBLEARRAY,0,FORBID},
   {"PLmean",DOUBLEARRAY,0,FORBID},
   {"deltamin",DOUBLEARRAY,0,FORBID},
   {"deltamax",DOUBLEARRAY,0,FORBID},
   {"deltamean",DOUBLEARRAY,0,FORBID},
   {"HedgeTimemin",DOUBLEARRAY,0,FORBID},
   {"HedgeSpotmin",DOUBLEARRAY,0,FORBID},
   {"HedgeTimemax",DOUBLEARRAY,0,FORBID},
   {"HedgeSpotmax",DOUBLEARRAY,0,FORBID},
   {"HedgeTimemean",DOUBLEARRAY,0,FORBID},
   {"HedgeSpotmean",DOUBLEARRAY,0,FORBID},
   {" ",END,0,FORBID}},

  CHK_TEST(testpatry1),
  CHK_ok,
  TEST(Init)
};

```

References