

[Source](#) | [Model](#) | [Option](#)
[Model_Option](#) | [Help on mc methods](#) | [Archived Tests](#)

mc_dupire

Input parameters:

- Number of iterations N
- Generator_Type
- Increment inc
- Confidence Value

Output parameters:

- Price P
- Error Price σ_P
- Delta δ
- Error delta σ_δ
- Price Confidence Interval: $IC_P = [\text{Inf Price}, \text{Sup Price}]$
- Delta Confidence Interval: $IC_\delta = [\text{Inf Delta}, \text{Sup Delta}]$

Monte Carlo valuation of the european call in a general Black-Scholes model

This procedure is dedicated to the computation of the price and delta of the european call when the underlying evolves according to the following stochastic differential equation:

$$dS_t = S_t((r - q)dt + \sigma(t, S_t)dW_t) \text{ for } 0 < t < T$$

where r is the risk free annual interest rate, q the annual dividend yield and σ the volatility measure. This dynamics generalizes the standard Black Scholes model in the following sense : the volatility $\sigma(t, S_t)$ is no longer a constant but may depend on the time t and the stock S_t .

Instead of discretizing this stochastic differential equation, it is better to deal with the logarithm of the stock $X_t = \ln(S_t)$ which satisfies:

$$dX_t = \sigma(t, e^{X_t})dW_t + (r - q - \sigma^2(t, e^{X_t})/2)dt$$

The corresponding Euler scheme is defined inductively by

$$\begin{cases} \hat{X}_0^x = x \\ \hat{X}_{(k+1)\Delta t}^x = \hat{X}_{k\Delta t}^x + \sigma(k\Delta t, e^{\hat{X}_{k\Delta t}^x})(W_{(k+1)\Delta t} - W_{k\Delta t}) \\ \quad + (r - q - \sigma^2(k\Delta t, e^{\hat{X}_{k\Delta t}^x}/2))\Delta t \end{cases} \quad (1)$$

The time step Δt is given by t/M where t is the time to maturity for the Call option and the number M is fixed by the user. The approximate price and delta of the call option with strike K are respectively obtained by computing

$$E[e^{-rt}(e^{\hat{X}_T^{\ln S_0}} - K)^+]$$

$$E[e^{-rt}(e^{\hat{X}_T^{\ln(S_0+h)}} - K)^+ - e^{\hat{X}_T^{\ln S_0}} - K)^+)/h]$$

by the Monte-Carlo method. The finite difference step used in the approximation of the delta is $h=0.0001$.

To improve the precision, we use a variance reduction method. We compute $\bar{\sigma}$:

$$\bar{\sigma} = 1/T(10S_0 - S_0/10) \int_0^T \int_{S_0/10}^{10S_0} \sigma(t, x) dx dt$$

and construct control variables based on the standard Black Scholes model with constant volatility $\bar{\sigma}$.

Let :

$$\bar{X}_t = \sum_{k=1}^M (W_{(k+1)\Delta t} - W_{k\Delta t}) * \bar{\sigma} + (r - q - \bar{\sigma}^2/2) * t$$

The price and delta of the European Call with strike K are obtained by computing:

$$E[e^{-rt}((e^{\hat{X}_t^{\ln S_0}} - K)^+ - (S_0 e^{\bar{X}_t} - K)^+)] \quad (2)$$

$$E[e^{-rt}/h((e^{\hat{X}_t^{\ln(S_0+h)}} - K)^+ - ((S_0+h)e^{\bar{X}_t} - K)^+ - (e^{\hat{X}_t^{\ln S_0}} - K)^+ + (S_0 e^{\bar{X}_t} - K)^+)] \quad (3)$$

by the Monte Carlo method and adding respectively the Black Scholes price and delta in the standard model with constant volatility $\bar{\sigma}$.

/* Initialization */

After initialization of the variable h ,

/* Explicit Euler scheme */

we compute $\hat{X}_T^{\ln S_0}$ and $\hat{X}_T^{\ln(S_0+h)}$ by the Euler scheme. Of course, the same brownian increments $W_{(k+1)\Delta t} - W_{k\Delta t}$ are used in the calculation of $\hat{X}_T^{\ln S_0}$ and $\hat{X}_T^{\ln(S_0+h)}$ and their sum $\sum_{k=1}^M (W_{(k+1)\Delta t} - W_{k\Delta t})$ is stored in order to compute \bar{X}_t .

/* Monte-Carlo's method */

The expectation (2) and (3) are approximated by the Monte-Carlo method. \bar{X}_t is calculated for each iteration. The number N of iterations in this method is fixed by the user:

/* reduction variance method */

Then to obtain the calculated call option price, we use the reduction variance method as explained before.

/* the confidence interval, confidence upper bound, and confidence lower bound given at 95 per cent */

Finally, we use the central limit theorem to give a confidence interval at 95 per cent for the price and the delta of the european call.